

Anex Corsair VS450

Lab ID#: 562 Receipt Date: -

Report Date: Dec 14, 2018

Report:

Test Date: -

DUT INFORMATION				
Brand	Corsair			
Manufacturer (OEM)	HEC			
Series	VS			
Model Number	VS450			
Serial Number	18389842000052518275			
DUT Notes	CP-9020170			

DUT SPECIFICATIONS					
Rated Voltage (Vrms)	100-240				
Rated Current (Arms)	10-5				
Rated Frequency (Hz)	47-63				
Rated Power (W)	450				
Туре	ATX12V				
Cooling	120mm Sleeve Bearing Fan (D12SH-12)				
Semi-Passive Operation	Х				
Cable Design	Fixed cables				

POWER SPECIFICATIONS						
Rail		3.3V	5V	12V	5VSB	-12V
May Payer	Amps	20	20 20		3	0.3
Max. Power Watts		110	110		15	3.6
Total Max. Power (W)	450	450				

CABLES AND CONNECTORS							
Captive Cables							
Description	Cable Count	Connector Count (Total)	Gauge	In Cable Capacitors			
ATX connector 20+4 pin (560mm)	1	1	18-20AWG	No			
4+4 pin EPS12V (620mm)	1	1	18AWG	No			
6+2 pin PCle (580mm+110mm)	1	2	18AWG	No			
SATA (460mm+120mm+120mm)	2	6	18AWG	No			
SATA (460mm) / 4-pin Molex (+120mm+120mm) / FDD (+120mm)	1	1/2/1	18-20AWG	No			
AC Power Cord (1380mm) - C13 coupler	1	1	18AWG	-			

All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 1/8



Anex Corsair VS450

RESULTS	
Temperature Range (°C /°F)	28-30 / 82.4-86
Average Efficiency	82.734
Efficiency With 10W (≤500W) or 2% (>500W) Load -115V	55.611
Average Efficiency 5VSB	79.832
Standby Power Consumption (W) -115V	0.0452360
Standby Power Consumption (W) -230V	0.1032820
Average PF	0.991
ErP Lot 3/6 Ready	✓
(EU) No 617/2013 Compliance	X
Avg Noise Output	31.85
Efficiency Rating (ETA)	SILVER
Noise Rating (LAMBDA)	Standard++

TEST EQUIPMENT						
Electronic Loads	Chroma 6314A x2 63123A x6 63102A 63101A	Chroma 63601-5 x4 Chroma 63600-2 x2 63640-80-80 x20 63610-80-20 x2				
AC Sources	Chroma 6530, Chroma 61604, Keysight AC6804B					
Power Analyzers	N4L PPA1530 x2, N4L PPA5530					
Oscilloscopes	Picoscope 4444 & 3424, Keysight DSOX3024A, Rigol DS2072A					
Voltmeter	Keithley 2015 THD 6.5 Digit					
Sound Analyzer	Bruel & Kjaer 2250-L G4					
Microphone	Bruel & Kjaer Type 4955-A, Bruel & Kjaer Type 4189					
Data Loggers	Picoscope TC-08 x2, Labjack U3-HV x2					


All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 2/8



Anex Corsair VS450





All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 3/8




Anex Corsair VS450

5VSB	5VSB EFFICIENCY -115V (ERP LOT 3/6 & CEC)							
Test #	5VSB	DC/AC (Watts)	Efficiency	PF/AC Volts				
1	0.045A	0.226	72.0020/	0.046				
1	5.029V	0.310	72.903%	115.03V				
2	0.090A	0.453	77 7020/	0.085				
2	5.029V	0.583	77.702%	115.03V				
3	0.550A	2.761	00.0070/	0.299				
3	5.020V	3.413	80.897%	115.03V				
4	1.000A	5.010	01.01.00/	0.366				
4	5.010V	6.184	81.016%	115.03V				
_	1.500A	7.499	00.6240/	0.402				
5	5.000V	9.300	80.634%	115.03V				
	3.000A	14.900	77.0200/	0.450				
6	4.967V	19.343	77.030%	115.03V				

5VSB	5VSB EFFICIENCY -230V (ERP LOT 3/6 & CEC)							
Test #	5VSB	DC/AC (Watts)	Efficiency	PF/AC Volts				
1	0.045A	0.226	C2 2500/	0.017				
1	5.029V	0.363	62.259%	230.18V				
2	0.090A	0.453	60.0070/	0.030				
	5.029V	0.648	69.907%	230.18V				
3	0.550A	2.761	77.950%	0.144				
3	5.020V	3.542	77.950%	230.18V				
4	1.000A	5.010	70.0520/	0.216				
4	5.010V	6.274	79.853%	230.18V				
_	1.500A	7.499	00.2620/	0.268				
5	4.999V	9.343	80.263%	230.17V				
6	3.000A	14.893	70.7440/	0.342				
6	4.965V	18.676	79.744%	230.18V				

VAMPIRE POWER -115V



INFO

This graph is generated by the PPA Standby Power Analysis software which takes full control of the power analyzer during the whole procedure. This application features all of the EN50564 & IEC62301 test limits for standby power software testing


All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 4/8



Anex Corsair VS450





All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 5/8



Anex Corsair VS450

10-1	.10% LOA	D TESTS								
Test #	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	Temps (In/Out)	PF/AC Volts
1	1.902A	1.992A	1.954A	1.001A	44.725	76.1020/	715	16.0	35.35°C	0.970
1	12.163V	5.018V	3.375V	4.995V	58.770	76.102%	715	16.8	42.16°C	115.04V
2	4.809A	2.992A	2.939A	1.205A	89.220	02.4720/	744	17.7	35.91°C	0.987
2	12.131V	5.009V	3.366V	4.981V	108.181	82.473%	744	17.7	43.27°C	115.04V
2	8.127A	3.488A	3.422A	1.409A	134.362	04.2510/	052	20.0	36.06°C	0.992
3	12.104V	5.017V	3.359V	4.968V	159.290	84.351%	852	20.8	44.86°C	115.04V
4	11.448A	3.979A	3.937A	1.614A	179.590	04.0300/	0.42	22.5	36.71°C	0.988
4	12.089V	5.027V	3.351V	4.957V	211.437	84.938%	943	23.5	46.49°C	115.04\
_	14.435A	4.979A	4.936A	1.821A	224.896	0.4.7.400/	1104	20.0	37.16°C	0.989
5	12.082V	5.020V	3.342V	4.943V	265.394	84.740%	1124	28.2	47.69°C	115.04\
	17.364A	5.987A	5.939A	2.029A	269.426	0.10=0/			37.51°C	0.991
6	12.072V	5.013V	3.333V	4.929V	319.766	84.257%	1280 32.3	32.1	48.91°C	115.04\
_	20.368A	6.993A	6.947A	2.239A	314.725	02.5.470/	1470 35.0	38.80°C	0.993	
7	12.059V	5.006V	3.325V	4.914V	376.703	83.547%		35.0	51.11°C	115.04\
	23.377A	8.006A	7.962A	2.451A	360.035	00 = 450/		27.5	38.90°C	0.994
8	12.047V	4.997V	3.316V	4.898V	435.136	82.741%	1605	37.5	52.34°C	115.04\
_	26.835A	8.499A	8.464A	2.455A	404.937				39.38°C	0.994
9	12.015V	5.002V	3.308V	4.889V	494.829	81.834%	1782	40.2	54.21°C	115.04\
	30.025A	8.996A	9.002A	3.084A	449.767	00.05=11			39.74°C	0.995
10	11.992V	5.003V	3.299V	4.865V	557.369	80.695%	1897	42.6	55.95°C	115.03\
	33.885A	8.972A	9.022A	3.089A	494.565				40.14°C	0.996
11	11.948V	5.016V	3.292V	4.857V	621.987	79.514%	1990	42.8	58.30°C	115.03\
	0.130A	13.000A	13.000A	0.000A	103.069				37.76°C	0.987
CL1	12.644V	4.461V	3.341V	4.969V	135.976	75.799%	1375	33.6	48.08°C	115.05\
	35.998A	1.000A	1.000A	1.000A	435.565				39.45°C	0.995
CL2	11.723V	5.298V	3.322V	4.940V	535.177	81.387%	% 1707	39.5	55.57°C	115.04\

All data and graphs included in this test report can be used by any individual on the following conditions:

PAGE 6/8

> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case



Anex Corsair VS450

20-80	20-80W LOAD TESTS								
Test #	12V	5V	3.3V	5VSB	DC/AC (Watts)	Efficiency	Fan Speed (RPM)	PSU Noise (dB[A])	PF/AC Volts
	1.172A	0.489A	0.472A	0.199A	19.347	66.0520/	677	15.5	0.922
1	12.175V	5.078V	3.382V	5.021V	28.897	66.952%	677		115.04V
	2.431A	0.988A	0.972A	0.399A	39.765	76 5050/	683	15.9	0.967
2	12.130V	5.053V	3.378V	5.013V	51.923	76.585%			115.04V
	3.623A	1.486A	1.450A	0.600A	59.306	00 2250/	602	16.2	0.977
3	12.122V	5.043V	3.374V	5.004V	73.915	80.235%	693	16.2	115.04V
4	4.883A	1.985A	1.955A	0.801A	79.744	02.1000/	710	16.0	0.982
4	12.115V	5.036V	3.370V	4.995V	97.025	82.189%	719	19 16.8	115.04V

RIPPLE MEASUREMENTS						
Test	12V	5V	3.3V	5VSB	Pass/Fail	
10% Load	12.2 mV	6.5 mV	8.7 mV	12.3 mV	Pass	
20% Load	13.4 mV	7.5 mV	9.6 mV	16.4 mV	Pass	
30% Load	15.4 mV	8.9 mV	10.3 mV	15.1 mV	Pass	
40% Load	19.0 mV	10.0 mV	11.0 mV	17.6 mV	Pass	
50% Load	23.1 mV	11.8 mV	12.5 mV	18.7 mV	Pass	
60% Load	34.7 mV	15.9 mV	14.4 mV	19.4 mV	Pass	
70% Load	35.6 mV	15.3 mV	15.4 mV	19.7 mV	Pass	
80% Load	38.3 mV	16.1 mV	18.7 mV	22.2 mV	Pass	
90% Load	46.3 mV	18.2 mV	20.3 mV	22.1 mV	Pass	
100% Load	53.2 mV	19.9 mV	21.6 mV	25.5 mV	Pass	
110% Load	58.7 mV	21.0 mV	23.2 mV	26.1 mV	Pass	
Crossload 1	21.6 mV	37.6 mV	17.5 mV	14.2 mV	Pass	
Crossload 2	60.7 mV	18.3 mV	19.0 mV	21.7 mV	Pass	

All data and graphs included in this test report can be used by any individual on the following conditions:

PAGE 7/8


> It should be mentioned that the test results are provided by Cybenetics

> The link to the original test results document should be provided in any case



Anex Corsair VS450

HOLD-UP TIME & POWER OK SIGNAL (230V)			
Hold-Up Time (ms)	19.60		
AC Loss to PWR_OK Hold Up Time (ms)	15.40		
PWR_OK Inactive to DC Loss Delay (ms)	4.20		







All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 8/8